

Carnet d'entretien des bateaux pneumatiques du Constructeur ZODIAC NAUTIC

Maintenance book for inflatable boats by the manufacturer ZODIAC NAUTIC

Libretto di manutenzione dei Battelli pneumatici del Costruttore ZODIAC NAUTIC

Wartungsheft für Schlauchboote des Herstellers ZODIAC NAUTIC

Libro de mantenimiento de las embarcaciones neumáticas del constructor ZODIAC NAUTIC



**Maintenance book
for inflatable boats
by the manufacturer ZODIAC NAUTIC**



About this maintenance book

First of all, we would like to thank you for choosing an inflatable BOAT one of our brand names. We have applied all our expertise to its design and manufacture. We are certain that your new boat will keep you fully satisfied for many years if it is given regular maintenance

The purpose of this maintenance manual is to keep track of the periodic checks performed exclusively by a Manufacturer-approved professional. Please refer to the list of professionals on the WEBSITE that corresponds with the brand of your inflatable:

- www.zodiac-nautic.com
- www.bombard.com

These professionals will inspect all components of your boat and provide you with professional service. Following the inspection, the professional will propose the work necessary to deal with any shortcoming that may exist.

Normal wear and tear is not considered to be a shortcoming.

This regular inspection is billed on a flat fee basis.

Initial inspection is mandatory at the end of the first year of warranty in order to benefit from the second year of warranty. Similarly, if you opt for a guarantee extension, regular inspection is mandatory between each year of guarantee extension in order to benefit from this extension.

If you request service under your guarantee cover, the Manufacturer's after sales service will systematically ask the approved professional for a copy of the maintenance record book. Guarantee cover is possible, depending on the analysis of the causes of the issue, but only if the mandatory inspections were performed on the recommended dates.

Similarly, guarantee cover will be refused if, during a previous inspection, the approved professional checked the "not OK" box for an item related to the request for cover, and if the customer refused to have this matter seen to by an approved professional.

Jets have their own maintenance record book. It is at the end of the maintenance manual supplied with the Jet. PDI (Pre-Delivery Inspection) and DI (Delivery Inspection) documents must be dated, signed and returned within 8 days following the delivery of the Jet for the Warranty and the Guarantee Extension to be valid.

During the interval between two annual inspections, you have to clean the tube with soapy water and a soft brush, at least once per month during the time you are using the boat, and absolutely at the beginning and the end of the wintering time.

Even beyond the warranty period, you have to keep on with the annual inspection. The authorized professional that you have chosen will continue giving you advices and checking the security elements of your boat, especially the tube/hull bond

Regular servicing is essential to keep your inflatable operating properly in the long term.

Happy sailing!

Craft: _____

Motor / Power: _____

HIN / XDC number: _____

Date of purchase: _____

Accessories added to the craft:

Guarantee extension (approved by Manufacturer):

- ☐ - 1 additional year, hull, assembly components, inboard motor (for the JETs)
- ☐ - 2 additional years, hull, assembly components, inboard motor (for the JETs)
- ☐ - 3 additional years, hull, assembly components, inboard motor (for the JETs)

For more information on the Manufacturer Contractual Warranty and the Guarantee Extension, please refer to the contracts in force on the purchase date of the craft.

Any comments about modifications made to the craft:

Date:

Modifications:

Periodic inspection

	OK	Non OK
Hull		
Visual inspection (general condition, cleanliness, appearance)		
Deck		
Underwater part of hull		
Console, seats, etc.		
Upholstery (general condition, cleanliness, appearance)		
Drain plugs, self-bailers, deck bungs, drainage locker (cleanliness, water tightness)		
Cleanliness of floors (CHAIN LOCKER, sub-console, aft case, engine WELL)		
Cleanliness of TUBE RAILS (RAIL hull)		
Visual inspection of hoses and tank connections		
Inspection of hinges and toggles		
Buoyancy TUBES		
Visual inspection (general condition, cleanliness, appearance), including bumpers		
Tightness of valves (replacement of seals)		
Presence of repair kit with all components		
Correct positioning of TUBES (RAIL TUBES)		
Ropes (general condition, cleanliness, appearance) (RAIL TUBES)		
CORRECT FIXING OF THE BOW FLAP (RAIL TUBES)		
Inflation to 240 mb		
Correct attachment of handrails (depending on model)		
Good condition of DAVIT and its components		
Stainless steel parts (general condition, cleanliness, appearance)		
Electrical components		
Operation of bilge pump		
Operation of fan		
Operation of fuel gauge		
Operation of navigation lights		
Inspection operation of options according to model		
ANCHOR WINDLASS		
Shower kit		
12 volt inflator or centralized inflation		
Electric ice box		
Audio system		
Accessories		
Sundeck		
Teak		
Picnic table		
BIMINI		
TARPAULIN		
Ski mast		
Mooring gear		
Swimming ladder		
STORAGE bags		
Launching wheels		

Year 1 / Date:

Flexible floors and TENDERS

- Visual inspection of floor components or FLOOR SLATS
- Inflation of HP floor to 800 mb
- Visual inspection of TRANSOM (replacement of self-bailer seal)
- Inspection of rowlocks
- Inspection of rowing bench supports

Reminders

- Importance of reading the owner's manual
- Importance of inflating the TUBES to 240 mb (functional pressure gauge)

Any comments

Inspection date:

Name of inspector:

Company in charge of inspection:

Signature and stamp

Periodic inspection

	OK	Non OK
Hull		
Visual inspection (general condition, cleanliness, appearance)	<input type="checkbox"/>	<input type="checkbox"/>
Deck	<input type="checkbox"/>	<input type="checkbox"/>
Underwater part of hull	<input type="checkbox"/>	<input type="checkbox"/>
Console, seats, etc.	<input type="checkbox"/>	<input type="checkbox"/>
Upholstery (general condition, cleanliness, appearance)	<input type="checkbox"/>	<input type="checkbox"/>
Drain plugs, self-bailers, deck bungs, drainage locker (cleanliness, water tightness)	<input type="checkbox"/>	<input type="checkbox"/>
Cleanliness of floors (drainage, sub-console, aft case, engine compartment)	<input type="checkbox"/>	<input type="checkbox"/>
Cleanliness of transom (transom hull)	<input type="checkbox"/>	<input type="checkbox"/>
Visual inspection of hoses and tank connections	<input type="checkbox"/>	<input type="checkbox"/>
Inspection of hinges and toggles	<input type="checkbox"/>	<input type="checkbox"/>
Buoyancy floats		
Visual inspection (general condition, cleanliness, appearance), including bumpers	<input type="checkbox"/>	<input type="checkbox"/>
Tightness of valves (replacement of seals)	<input type="checkbox"/>	<input type="checkbox"/>
Presence of repair kit with all components	<input type="checkbox"/>	<input type="checkbox"/>
Correct positioning of floats (transom float)	<input type="checkbox"/>	<input type="checkbox"/>
Ropes (general condition, cleanliness, appearance) (transom float)	<input type="checkbox"/>	<input type="checkbox"/>
Anchor gear fitting flap (transom float)	<input type="checkbox"/>	<input type="checkbox"/>
Inflation to 240 mb	<input type="checkbox"/>	<input type="checkbox"/>
Correct attachment of handrails (depending on model)	<input type="checkbox"/>	<input type="checkbox"/>
Good condition of anchor roller and its components	<input type="checkbox"/>	<input type="checkbox"/>
Stainless steel parts (general condition, cleanliness, appearance)	<input type="checkbox"/>	<input type="checkbox"/>
Electrical components		
Operation of bilge pump	<input type="checkbox"/>	<input type="checkbox"/>
Operation of fan	<input type="checkbox"/>	<input type="checkbox"/>
Operation of fuel gauge	<input type="checkbox"/>	<input type="checkbox"/>
Operation of navigation lights	<input type="checkbox"/>	<input type="checkbox"/>
Inspection operation of options according to model	<input type="checkbox"/>	<input type="checkbox"/>
Winch	<input type="checkbox"/>	<input type="checkbox"/>
Shower kit	<input type="checkbox"/>	<input type="checkbox"/>
12 volt inflator or centralized inflation	<input type="checkbox"/>	<input type="checkbox"/>
Electric ice box	<input type="checkbox"/>	<input type="checkbox"/>
Audio system	<input type="checkbox"/>	<input type="checkbox"/>
Accessories		
Sundeck	<input type="checkbox"/>	<input type="checkbox"/>
Teak fixtures	<input type="checkbox"/>	<input type="checkbox"/>
Picnic table	<input type="checkbox"/>	<input type="checkbox"/>
Tendoline sheet	<input type="checkbox"/>	<input type="checkbox"/>
Awning	<input type="checkbox"/>	<input type="checkbox"/>
Ski mast	<input type="checkbox"/>	<input type="checkbox"/>
Mooring gear	<input type="checkbox"/>	<input type="checkbox"/>
Swimming ladder	<input type="checkbox"/>	<input type="checkbox"/>
Stowage bags	<input type="checkbox"/>	<input type="checkbox"/>
Launching wheels	<input type="checkbox"/>	<input type="checkbox"/>

Year 2 / Date:

Flexible floors and annexes

- Visual inspection of floor components or laths
- Inflation of HP floor to 800 mb
- Visual inspection of dashboard (replacement of self-bailer seal)
- Inspection of rowlocks
- Inspection of rowing bench supports

<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>

Reminders

- Importance of reading the owner's manual
- Importance of inflating the floats to 240 mb (functional pressure gauge)

<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>

Any comments

Inspection date:

Name of inspector:

Company in charge of inspection:

Signature and stamp

Periodic inspection

Year 3 / Date:

	OK	Non OK
Hull		
Visual inspection (general condition, cleanliness, appearance)		
Deck		
Underwater part of hull		
Console, seats, etc.		
Upholstery (general condition, cleanliness, appearance)		
Drain plugs, self-bailers, deck bungs, drainage locker (cleanliness, water tightness)		
Cleanliness of floors (drainage, sub-console, aft case, engine compartment)		
Cleanliness of transom (transom hull)		
Visual inspection of hoses and tank connections		
Inspection of hinges and loggles		
Buoyancy floats		
Visual inspection (general condition, cleanliness, appearance), including bumpers		
Tightness of valves (replacement of seals)		
Presence of repair kit with all components		
Correct positioning of floats (transom float)		
Ropes (general condition, cleanliness, appearance) (transom float)		
Anchor gear fitting flap (transom float)		
Inflation to 240 mb		
Correct attachment of handrails (depending on model)		
Good condition of anchor roller and its components		
Stainless steel parts (general condition, cleanliness, appearance)		
Electrical components		
Operation of bilge pump		
Operation of fan		
Operation of fuel gauge		
Operation of navigation lights		
Inspection operation of options according to model		
Winch		
Shower kit		
12 volt inflator or centralized inflation		
Electric ice box		
Audio system		
Accessories		
Sundeck		
Teak fixtures		
Picnic table		
Tendoline sheet		
Awning		
Ski mast		
Mooring gear		
Swimming ladder		
Stowage bags		
Launching wheels		

Flexible floors and annexes

- Visual inspection of floor components or laths
- Inflation of HP floor to 800 mb
- Visual inspection of dashboard (replacement of self-bailer seal)
- Inspection of rowlocks
- Inspection of rowing bench supports

Reminders

- Importance of reading the owner's manual
- Importance of inflating the floats to 240 mb (functional pressure gauge)

Any comments

Inspection date:

Name of inspector:

Company in charge of inspection:

Signature and stamp

Periodic inspection

	OK	Non OK
Hull		
Visual inspection (general condition, cleanliness, appearance)	<input type="checkbox"/>	<input type="checkbox"/>
Deck	<input type="checkbox"/>	<input type="checkbox"/>
Underwater part of hull	<input type="checkbox"/>	<input type="checkbox"/>
Console, seats, etc.	<input type="checkbox"/>	<input type="checkbox"/>
Upholstery (general condition, cleanliness, appearance)	<input type="checkbox"/>	<input type="checkbox"/>
Drain plugs, self-bailers, deck bungs, drainage locker (cleanliness, water tightness)	<input type="checkbox"/>	<input type="checkbox"/>
Cleanliness of floors (drainage, sub-console, aft case, engine compartment)	<input type="checkbox"/>	<input type="checkbox"/>
Cleanliness of transom (transom hull)	<input type="checkbox"/>	<input type="checkbox"/>
Visual inspection of hoses and tank connections	<input type="checkbox"/>	<input type="checkbox"/>
Inspection of hinges and toggles	<input type="checkbox"/>	<input type="checkbox"/>
Buoyancy floats		
Visual inspection (general condition, cleanliness, appearance), including bumpers	<input type="checkbox"/>	<input type="checkbox"/>
Tightness of valves (replacement of seals)	<input type="checkbox"/>	<input type="checkbox"/>
Presence of repair kit with all components	<input type="checkbox"/>	<input type="checkbox"/>
Correct positioning of floats (transom float)	<input type="checkbox"/>	<input type="checkbox"/>
Ropes (general condition, cleanliness, appearance) (transom float)	<input type="checkbox"/>	<input type="checkbox"/>
Anchor gear fitting flap (transom float)	<input type="checkbox"/>	<input type="checkbox"/>
Inflation to 240 mb	<input type="checkbox"/>	<input type="checkbox"/>
Correct attachment of handrails (depending on model)	<input type="checkbox"/>	<input type="checkbox"/>
Good condition of anchor roller and its components	<input type="checkbox"/>	<input type="checkbox"/>
Stainless steel parts (general condition, cleanliness, appearance)	<input type="checkbox"/>	<input type="checkbox"/>
Electrical components		
Operation of bilge pump	<input type="checkbox"/>	<input type="checkbox"/>
Operation of fan	<input type="checkbox"/>	<input type="checkbox"/>
Operation of fuel gauge	<input type="checkbox"/>	<input type="checkbox"/>
Operation of navigation lights	<input type="checkbox"/>	<input type="checkbox"/>
Inspection operation of options according to model	<input type="checkbox"/>	<input type="checkbox"/>
Winch	<input type="checkbox"/>	<input type="checkbox"/>
Shower kit	<input type="checkbox"/>	<input type="checkbox"/>
12 volt inflator or centralized inflation	<input type="checkbox"/>	<input type="checkbox"/>
Electric ice box	<input type="checkbox"/>	<input type="checkbox"/>
Audio system	<input type="checkbox"/>	<input type="checkbox"/>
Accessories		
Sundeck	<input type="checkbox"/>	<input type="checkbox"/>
Toak fixtures	<input type="checkbox"/>	<input type="checkbox"/>
Picnic table	<input type="checkbox"/>	<input type="checkbox"/>
Tendoline sheet	<input type="checkbox"/>	<input type="checkbox"/>
Awning	<input type="checkbox"/>	<input type="checkbox"/>
Ski mast	<input type="checkbox"/>	<input type="checkbox"/>
Mooring gear	<input type="checkbox"/>	<input type="checkbox"/>
Swimming ladder	<input type="checkbox"/>	<input type="checkbox"/>
Stowage bags	<input type="checkbox"/>	<input type="checkbox"/>
Launching wheels	<input type="checkbox"/>	<input type="checkbox"/>

Year 4 / Date:

Flexible floors and annexes

- Visual inspection of floor components or laths
- Inflation of HP floor to 800 mb
- Visual inspection of dashboard (replacement of self-bailer seal)
- Inspection of rowlocks
- Inspection of rowing bench supports

<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>

Reminders

- Importance of reading the owner's manual
- Importance of inflating the floats to 240 mb (functional pressure gauge)

<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>

Any comments

Inspection date:

Name of inspector:

Company in charge of inspection:

Signature and stamp

Periodic inspection

	OK	Non OK
Hull		
Visual inspection (general condition, cleanliness, appearance)	<input type="checkbox"/>	<input type="checkbox"/>
Deck	<input type="checkbox"/>	<input type="checkbox"/>
Underwater part of hull	<input type="checkbox"/>	<input type="checkbox"/>
Console, seals, etc.	<input type="checkbox"/>	<input type="checkbox"/>
Upholstery (general condition, cleanliness, appearance)	<input type="checkbox"/>	<input type="checkbox"/>
Drain plugs, self-bailers, deck bungs, drainage locker (cleanliness, water tightness)	<input type="checkbox"/>	<input type="checkbox"/>
Cleanliness of floors (drainage, sub-console, aft case, engine compartment)	<input type="checkbox"/>	<input type="checkbox"/>
Cleanliness of transom (transom hull)	<input type="checkbox"/>	<input type="checkbox"/>
Visual inspection of hoses and tank connections	<input type="checkbox"/>	<input type="checkbox"/>
Inspection of hinges and toggles	<input type="checkbox"/>	<input type="checkbox"/>
Buoyancy floats		
Visual inspection (general condition, cleanliness, appearance), including bumpers	<input type="checkbox"/>	<input type="checkbox"/>
Tightness of valves (replacement of seals)	<input type="checkbox"/>	<input type="checkbox"/>
Presence of repair kit with all components	<input type="checkbox"/>	<input type="checkbox"/>
Correct positioning of floats (transom float)	<input type="checkbox"/>	<input type="checkbox"/>
Ropes (general condition, cleanliness, appearance) (transom float)	<input type="checkbox"/>	<input type="checkbox"/>
Anchor gear fitting flap (transom float)	<input type="checkbox"/>	<input type="checkbox"/>
Inflation to 240 mb	<input type="checkbox"/>	<input type="checkbox"/>
Correct attachment of handrails (depending on model)	<input type="checkbox"/>	<input type="checkbox"/>
Good condition of anchor roller and its components	<input type="checkbox"/>	<input type="checkbox"/>
Stainless steel parts (general condition, cleanliness, appearance)	<input type="checkbox"/>	<input type="checkbox"/>
Electrical components		
Operation of bilge pump	<input type="checkbox"/>	<input type="checkbox"/>
Operation of fan	<input type="checkbox"/>	<input type="checkbox"/>
Operation of fuel gauge	<input type="checkbox"/>	<input type="checkbox"/>
Operation of navigation lights	<input type="checkbox"/>	<input type="checkbox"/>
Inspection operation of options according to model	<input type="checkbox"/>	<input type="checkbox"/>
Winch	<input type="checkbox"/>	<input type="checkbox"/>
Shower kit	<input type="checkbox"/>	<input type="checkbox"/>
12 volt inflator or centralized inflation	<input type="checkbox"/>	<input type="checkbox"/>
Electric ice box	<input type="checkbox"/>	<input type="checkbox"/>
Audio system	<input type="checkbox"/>	<input type="checkbox"/>
Accessories		
Sundeck	<input type="checkbox"/>	<input type="checkbox"/>
Teak fixtures	<input type="checkbox"/>	<input type="checkbox"/>
Picnic table	<input type="checkbox"/>	<input type="checkbox"/>
Tendoline sheet	<input type="checkbox"/>	<input type="checkbox"/>
Awning	<input type="checkbox"/>	<input type="checkbox"/>
Ski mast	<input type="checkbox"/>	<input type="checkbox"/>
Mooring gear	<input type="checkbox"/>	<input type="checkbox"/>
Swimming ladder	<input type="checkbox"/>	<input type="checkbox"/>
Stowage bags	<input type="checkbox"/>	<input type="checkbox"/>
Launching wheels	<input type="checkbox"/>	<input type="checkbox"/>

Year 5 / Date:

Flexible floors and annexes

- Visual inspection of floor components or laths
- Inflation of HP floor to 800 mb
- Visual inspection of dashboard (replacement of self-bailer seal)
- Inspection of rowlocks
- Inspection of rowing bench supports

<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>

Reminders

- Importance of reading the owner's manual
- Importance of inflating the floats to 240 mb (functional pressure gauge)

<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>

Any comments

Inspection date:

Name of inspector:

Company in charge of inspection:

Signature and stamp